


TECGEN FR Premium Hi-Vis Vented Shirt - Type R Class 3













Specs

Product Code	SHRTVTGVC3
Sizes	SM-3X, RG LG-3X, TL
Stock Colors	
Fabric / Material	6.5 oz. Westex® DH

Compliance

Arc Rating	8.9 cal/cm ²
CAT Level	CAT 2
ANSI Type / Class	Type R Class 3
Standards	 NFPA 70E NFPA 2112 ANSI/ISEA 107 Type R Class 3 ASTM F1506 CSA Z462 OSHA 1910.269

Features

Features	 TECGEN's patented, breathable vent shirts have industry leading comfort 3M™ Scotchlite™ FR silver segmented reflective trim Premium two needle construction and anti-wrinkle technology in collar, flaps, center front, and cuffs for professional look Soft, super stretch mesh provides higher comfort and mobility verses others Dual utility ports on flaps for gear (PVD, gas, flashlight) Separate pen tunnel to isolate leaky pens Button down collar and adjustable cuffs Two chest pockets with flaps Inherently flame resistant, FR protection will not wash/wear out FR fabric will not melt, drip, or ignite Imported
----------	---

Product Care

Product Care	 READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL. DO NOT use bleach or chlorine. DO NOT use fabric softeners or starch. Wash/Laundering Instructions: Dry cleanable. Machine wash warm (Max. 150°F). Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc. If contaminants cannot be removed after laundering, it is best to discontinue use of garment.
--------------	---

Sizing Chart

30	TECGEN® Vented Shirt (SHRTGV)						
Size	Chest	Center Back	Sleeve Length				
SM	38" - 40"	32.5"	34.5"				
MD	41" - 44"	33"	35"				
LG	45" - 48"	33.5"	36"				
XL	49" - 52"	34"	36.75"				
2X	53" - 56"	34.5"	37.5"				
3X	57" - 60"	35"	37.5"				
4X	61" - 64"	35.5"	37.5"				
5X	65" - 68"	36"	37.5"				