


DRIFIRE FR Hi-Vis Work Shirt - Type R Class 3



Specs

Product Code SHRTV3C3_ _ _ _

Sizes SM-3X, RG | MD-3X, TL

Stock Colors



Fabric / Material 6.5 oz. Westex® DH

Compliance

Arc Rating	8.9 cal/cm²
CAT Level	CAT 2
ANSI Type / Class	Type R Class 3
Standards	<ul style="list-style-type: none">• ASTM F1506• OSHA 1910.269• NFPA 70E• CSA Z462• NFPA 2112• ANSI/ISEA 107 Type R Class 3

Features

Features	<ul style="list-style-type: none">• FR silver segmented reflective trim• FR Fabric will NOT melt, drip, or ignite• Button Down Collar• Adjustable 2-button cuff closure• Left Front Chest Pocket• Moisture Wicking & Breathable• Non-restricting cut for easy range of motion• Imported
----------	--

Product Care

Product Care	<ul style="list-style-type: none">• READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL.• DO NOT use bleach or chlorine. DO NOT use fabric softeners or starch.• Wash/Laundrying Instructions: Dry cleanable. Machine wash warm (Max. 150°F).• Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.• If contaminants cannot be removed after laundering, it is best to discontinue use of garment.
--------------	---

Sizing Chart

NSA, VIZABLE® & DRIFIRE® Work Shirts (SHR-RG)***Does not Include DRIFIRE HI-VIs Work Shirts**

Size	Chest	Center Back	Sleeve Length
SM	32" - 35"	31.375"	34.5"
MD	36" - 39"	31.875"	35.5"
LG	40" - 43"	32.375"	36.5"
XL	44" - 47"	32.875"	37.5"
2X	48" - 51"	33.375"	38.5"
3X	52" - 55"	33.875"	39.5"
4X	56" - 59"	34.125"	40.5"
5X	60" - 63"	34.625"	42.5"

