

# 8 Cal TECGEN SELECT FR Work Shirt



## Specs

Product Code

- TCG011202\_\_ (Tan)
- TCG011302\_\_ (Royal Blue)
- TCG011502\_\_ (Grey)
- TCG011602\_\_ (Navy)
- TCG011902\_\_ (Light Blue)
- TCG012002\_\_ (Orange)

Sizes

SM-5X (Regular, Long)

Stock Colors



Fabric / Material

5.5 oz. TECGEN SELECT® OPF Blend Twill

# Compliance

---

Arc Rating	8 cal/cm²
CAT Level	CAT 2
Standards	<ul style="list-style-type: none"><li>• NFPA 70E</li><li>• NFPA 2112</li><li>• ASTM F1506</li><li>• CSA Z462</li><li>• OSHA 1910.269</li></ul>

# Features

---

Features	<ul style="list-style-type: none"><li>• Features OPF, the latest carbon fabric technology</li><li>• Inherently flame resistant, FR protection will not wash/wear out</li><li>• Dual certified to protect against flash fire and arc flash hazards</li><li>• Excellent layering piece for added protection</li><li>• Unsurpassed moisture wicking and drying rate</li><li>• Lightweight, breathable fabric</li><li>• Two chest pockets with button closure flaps</li><li>• Pen/pencil slot in front pocket</li><li>• Button down collar</li><li>• FR fabric will not melt, drip, or ignite</li><li>• Seven button front closure</li><li>• Imported</li></ul>
----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

# Product Care

---

Product Care	<ul style="list-style-type: none"><li>• READ THE GARMENT LABEL AND LAUNDRER PER INSTRUCTIONS ON GARMENT LABEL.</li><li>• DO NOT use chlorine bleach or detergents containing bleach. DO NOT use hydrogen peroxide. DO NOT use fabric softeners.</li><li>• Wash/Laundering Instructions: Dry Cleanable. Turn garment inside out prior to laundering. Machine wash warm (Max. 140°F / 60°C). Tumble dry warm.</li><li>• Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.</li><li>• If contaminants cannot be removed after laundering, it is best to discontinue use of garment.</li></ul>
--------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

# Sizing Chart

---

TECGEN SELECT® Work Shirts				
Size	Chest	Sleeve Length		Center Back
SM	32" - 35"	Regular	33.75"	33.25"
		Long	37.25"	34.75"
MD	36" - 39"	Regular	35.25"	33.50"
		Long	37.25"	35"
LG	40" - 44"	Regular	35.75"	33.37"
		Long	37.75"	35.25"
XL	44" - 47"	Regular	36.25"	34"
		Long	37.75"	35.50"
2X	48" - 51"	Regular	36.25"	34.25"
		Long	37.75"	35.75"
3X	52" - 54"	Regular	36.75"	34.50"
		Long	37.75"	36"
4X	55" - 57"	Regular	36.75"	34.75"
		Long	37.75"	36.25"
5X	58" - 60"	Regular	38.5"	35"
		Long	39.5"	36.50"